

**StarPet Inc, USA**

801 Pineview Road, Asheboro, NC 27203, USA Tel: (336) 672-0101, Fax: (336) 672-1904

A subsidiary of

Indorama Polymers Public Company Limited

Head Office: 75/102 Ocean Tower 2, 37<sup>th</sup> Floor, Soi Sukhumvit 19, Asoke, Bangkok 10110, Thailand

Tel: +662 661 6661 / Fax: + 662 661 6664

[www.indoramapolymers.com](http://www.indoramapolymers.com)

---

---

**Sales Specifications**

Product: Polyethylene Terephthalate (PET) Polymers

Copolymer

---

---

**PREFORMANCE™ PET ES11**

Property	Unit	Value	Test Method
Intrinsic Viscosity	dl/g	0.84 ± 0.02	L 101
Color CIE			
L*		80 ± 2.5	L 104
b*		-1 ± 2.0	L 104
Acetaldehyde	ppm	< 1.0	L 114
Bulk Density	lbs/ft <sup>3</sup>	56	L 150
Dust	ppm	< 300	L 132
Moisture	wt %	< 0.25	L 112
Contaminants / Black Specks		None	-----

**Description**

**Preformance™ PET ES11** is a high intrinsic viscosity food grade PET copolymer that is specially designed for the CSD container market. It offers excellent reheat ability that improves machine efficiency during blow molding.

**Preformance™ PET ES11** resin is considered safe for food packaging applications based upon compliance with FDA Regulation 21 CFR Section 177.1630 specifications

**Warranty**

Starpet warrants that its products will comply with the specifications and related regulatory compliance detailed in its publications. No other warranty, either expressed or implied regarding the suitability of the product for any particular purpose is made. The buyers are expected to make their own determination about the safety, health, environmental protection and suitability of use for their intended purpose. No warranty is made of the merchantability or fitness of any product and nothing herein waives any of the seller's conditions of sales.